



ET51 ET56 (Windows)

EMC Configuration and Accessories Guide

*Designed to assist customers and partners with model and
configuration guidance*



| CONFIGURATION OPTIONS | ET5XXX – XXXX – XXXX | OPTION | DESCRIPTION |
|--------------------------------|-------------------------------|--|---|
| Radio | ET5 1 XX – XXXX – XXXX | 1 | Wi-Fi (no WAN) |
| | ET5 6 XX – XXXX – XXXX | 6 | WAN |
| Modems - Region | ET5X A X – XXXX – XXXX | A | NO WAN – WLAN only - Intel |
| | ET5X B X – XXXX – XXXX | B | WAN – Worldwide Intel / Telit |
| Display | ET5XX E – XXXX – XXXX | E | Eight Inch (8.4") |
| | ET5XX T – XXXX – XXXX | T | Ten Inch (10.1") |
| OS Key | ET5XXX – W XXX – XXXX | W | Windows |
| Processor | ET5XXX – X 1 XX – XXXX | 1 | E3940 – Intel |
| Memory | ET5XXX – XX 2 X – XXXX | 2 | 4 GB RAM / 64 GB Flash |
| OS Localization | ET5XXX – XXX X – XXXX | E, F, I, G, S, M, C, P, H, J, SW, K, R | E = English, F = French, I = Italian, G = German, S = Spanish, M = Chinese Simplified, C = Chinese Traditional, P = Brazilian Portuguese, H = Hebrew, J = Japanese, SW = Swedish, K = Korean, R = Russian |
| Suffix / Custom Product | ET5XXX – XXXX – CN | | China |

ShareCradle System
4 Slot Charge only



4-Slot Aux Battery Charger



Single-Slot Docking Solutions
(Charge only or with I/O's)



Rugged Charge Connector



Expansion Back +
Rotating Hand Strap



SE4750 and SE4710
Expansion Back +
Rotating Hand Strap



Rugged Frames



Operations Case



Breakaway shoulder strap



Handle



Optional PowerPack
Battery



Large Internal batteries
(Specific part numbers
for new ET51 / ET56.
Please see Page 9)



Passive Stylus



D-Clips

Introducing the ShareCradle System:
Terminal & Terminal Spare Battery “Cups” designed to be shared across the suite
of Charge Only bases providing flexible & future proofed solutions.



4-Slot ShareCradle



CRD-ET5X-SE4C01-01

ET5X 4-Slot Charge Only

- Solution for either: 4 x ET5X or 4x ET5X + 4x Optional Battery
- ShareCradle is rack mountable (19inch Rack Mounting accessory required) and can be wall mounted or used on a tabletop.
 - Option to mount and power a 4-Slot Battery Charger off of a separate battery charger power supply.

4-Slot Optional Battery PowerPack Toaster



SAC-ET5X-4PPK1-01

ET5X 4-Slot Battery Charge
for Optional battery
PowerPack

- Drop in 4-Slot Battery charger w/ LEDs to indicate Charge State
- Can be docked in 4-slot Cradle via adapter cup (requires its own battery charger power supply)
- Can be used as a standalone charger requiring its own Power Supply and AC Line Cord

! 4-Slot Cradles require power supply PWR-BGA12V108W0WW, DC Line Cord, CBL-DC-382A1-01 & country specific AC Line Cord [sold separately](#)



! 4-Slot Toasters require power supply PWR-BGA12V50W0WW, CBL-DC-388A1-01 & country specific AC Line Cord [sold separately](#)



- **ShareCradle can accept ET5x Tablets with Rugged Frame and Non Rugged Frame**
- **ShareCradle also accepts ET5x Tablets with Expansion Backs**

Charge Only 1-Slot Dock



CRD-ET5X-1SCG1

ET5X 1-Slot Charge Only Dock

- Supports Charging with and without Rugged Frames
- Shim allows charging without a Rugged Frame, will only work with exposed consumer connector

Note: Requires power supply PWR-BGA12V50W0WW & CBL-DC-388A1-01 & country specific AC Line Cord sold separately



CHG-ET5X-CBL1-01

Rugged Charge Connector (Charge dongle)

- Rugged charge cable breaks away to prevent tablet damage
- DC barrel input on the side

Note: Requires power supply PWR-BGA12V50W0WW & CBL-DC-388A1-01 & country specific AC Line Cord sold separately

Charge / Communication 1-Slot Dock



CRD-ET5X-1SCOM1

ET5X 1-Slot Charge and Communication Dock

- Charges and extends I/O for: HDMI, Ethernet & 3 USB 3.0 ports
- Shim allows charging without Rugged Frame, will only work with exposed consumer connector

Note: Requires power supply PWR-BGA12V50W0WW & CBL-DC-388A1-01 & country specific AC Line Cord sold separately



CRD-ET5X-1SCOM1R

1-Slot Dock with Rugged IO Adapter

- Charges & extends Rugged I/O for HDMI, Ethernet, 3 USB 3.0 Ports
- Only works with Rugged Frame with Rugged IO Connector

Note: Requires power supply PWR-BGA12V50W0WW & CBL-DC-388A1-01 & country specific AC Line Cord sold separately

- ! • **Can be used with Expansion Back on the Tablet.**
- **One of these four solutions or a ShareCradle is required for tablet charging.**

Straps & D-Clips



SG-ET5X-SHDRSTP-01

Break away Shoulder Strap

SG-ET5X-HNDSTP-01

Handle strap



SG-ET5X-DCLIP-01

2 D-Clips that screw to the rugged frame



- D-clips allow the attachment of straps to the rugged frame via the screw points on the back
- Break away shoulder strap has a safety feature near the clip that releases when pulled
- Handle strap provides ease of carrying the tablet with plastic grips

8" & 10" Rugged Frames



SG-ET5X-8RCSE2-02

8" Rugged Frame with Rugged IO (Included)



SG-ET5X-10RCSE2-01

10" Rugged Frame with Rugged IO (Included)

- Improves drop 7 ft. / 2.1 meters
- Sealed I/O connector replaces bottom dust cover
- Screw points on back to attach hand and shoulder straps
- Will work with Expansion Backs

8" & 10" Operations Case



FRONT VIEW



BACK VIEW

SG-ET5X-8HLST-01

Operational Case – 8"

SG-ET5X-10HLST-01

Operational Case - 10"

- Supports tablet without rugged frame
- Made of a leather
- Pen loop for stylus
- Clip points in 4 corners supports addition of
 - Hand strap (sold separately)
 - Shoulder strap (sold separately)
- Universal D clip mounting points can accommodate additional accessories
- Will work with Expansion Backs

8" & 10" Expansion Back (No Scan)



ZBK-ET5X-8RH1-01

8" Expansion Back
Accessory + rotating
Hand Strap (Optional
Battery sold separately)

ZBK-ET5X-10RH1-01

10" Expansion Back
Accessory + rotating
Hand Strap (Optional
Battery sold separately)

- Expansion back screws to back of tablet when battery door is removed
- Rotating Hand Strap base
- Optional PowerPack battery (sold separately)

8" & 10" 4750 / 4710 Expansion Backs



ZBK-ET5X-8SCN5-01 (Win)
ZBK-ET5X-8SCN5-02 (ANDR)

8" SE4750 Expansion Back
Accessory + rotating Hand strap
(Optional Battery sold separately)

ZBK-ET5X-10SCN5-01 (Win)
ZBK-ET5X-10SCN5-02 (ANDR)

10" SE4750 Expansion Back
Accessory + rotating Hand strap
(Optional Battery sold separately)

- Expansion back screws to back of tablet when battery door is removed
- Workers can capture 1-D and 2-D bar codes in virtually any condition, at lightning speed via Laser aimer
- Rotating Hand Strap base and Integrated Scanner
- Optional PowerPack battery (sold separately)



ZBK-ET5X-8SCN1-01 (Win)

8" SE4710 Expansion Back
Accessory + rotating Hand strap
(Optional Battery sold separately)

ZBK-ET5X-10SCN1-01 (Win)

10" SE4710 Expansion Back
Accessory + rotating Hand strap
(Optional Battery sold separately)

- Expansion back screws to back of tablet when battery door is removed
- Workers can capture 1-D and 2-D bar codes via LED aimer (Indoor use)
- Rotating Hand Strap base and Integrated Scanner
- Optional PowerPack battery (sold separately)

 Note: ET50 / ET55 internal batteries are **NOT COMPATIBLE** with the new ET51 / ET56 Windows Tablets.

Optional PowerPack Battery



BTRY-ET5X-PRPK1-01

Optional Battery PowerPack
24.4Wh of additional charging capacity
(3400mAh @ 7.2V)

- Hot swappable enables 24x7 usage
- Can be used in addition to the main battery capacity
- Designed for use with optional Expansion Back
- Will be charged with 4-slot battery charger
- Will be charged when tablet + expansion back is docked in 1-slot dock or ShareCradle
- “Gas Gauge” LED to display the amount of charge

8”&10” Internal Battery for ET51 / ET56 Windows



BTRY-ET5X-8IN3-01

8” Internal Battery, 3300 mAh / 7.6V
Rechargeable Li-Ion; User replaceable (25 Whr)

- 5-6 hrs continuous WLAN usage with display on



BTRY-ET5X-10IN3-01

10” Internal Battery, 4950 mAh / 7.7V
Rechargeable Li-Ion; User replaceable (38 Whr)

- 8-9 hrs continuous WLAN usage with display on

Passive Stylus



SG-TC7X-STYLUS-03

TC7X 3-Pack STYLUS + TETHER

- TC7X passive stylus (no batteries needed, more durable)
- 3-Pack + Tether (single stylus unit is not available)
- NOTE: will not work in screen areas where water is pooled



SG-ET5X-SLTETR-01

Stylus coil tether

- The coiled tether provides a convenient method to keep your tablet and pen together without compromising your usage experience.

3rd party designed, sold and serviced. Zebra does not sell / not formally tested.

GJ Rugged Mounting Cradles



- Designed by Gamber Johnson to support rugged mounting needs such use on a fork lift; Offered through Gamber Johnson and their reseller network, not Zebra catalog part, Listing can be found at: <https://www.gamberjohnson.com/products/docking-stations-cradles#manufacturer-127=680>
- Port replications for Ethernet RJ45, USB, HDMI, and power input
- Key lockable, VESA 75mm mounting pattern, clamps secure the tablet
- Will only work with rugged frame tablets, compatible with accessories like expansion back with scanner and optional power pack battery
- Keyboard mount offered to support iKey keyboards

ProClip Mounting Cradles



- The mounting cradle is designed by ProClip and are offered through ProClip / Brodit channels and their reseller network, not a Zebra catalog part, listing can be found at: <http://www.proclipusa.com/tablet-holders/device/zebra.cmsv>
- Charge and mount options available
- Key lock option supported
- Rugged frame and non-rugged frame tablets options are available
- 8" and 10" versions